




Piling Products, Inc.

Casteel CL42 CL47 CL57



Section	Width	Height	Thickness	Cross Sectional Area	Weight		Section Modulus	Moment of Inertia	Coating Area Both Sides	Coating Area
					Pile	Wall				
	b in (mm)	s in (mm)	t in (mm)	in ² /ft (cm ² /m)	lb/ft (kg/m)	lb/ft ² (kg/m ²)	in ³ /ft (cm ³ /m)	in ⁴ /ft (cm ⁴ /m)	ft ² /ft (m ² /m)	ft ² /ft ² (m ² /m ²)
CL42	21.67	3.55	0.157	2.53	15.52	8.60	2.55	4.52	4.24	2.35
CL47	21.67	3.55	0.177	2.83	17.39	9.63	2.88	5.09	4.24	2.35
CL57	21.67	3.55	0.217	3.43	21.07	11.67	3.53	6.22	4.24	2.35

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043


(904) 287-8000 Fax (904) 529-7757

www.pilingproducts.com ppisteel@bellsouth.net



Piling Products, Inc.

Casteel CS 55 CS 69



Section	Width b in (mm)	Height s in (mm)	Thickness t in (mm)	Cross Sectional Area in ² /ft (cm ² /m)	Weight		Section Modulus in ³ /ft (cm ³ /m)	Moment of Inertia in ⁴ /ft (cm ⁴ /m)	Coating Area Both ft ² /ft (m ² /m)	Coating Area ft ² /ft ² (m ² /m ²)
					Pile lb/ft (kg/m)	Wall lb/ft ² (kg/m ²)				
CS 55	27.56 700	5.91 150	0.197 5.00	3.29 69.55	25.69 38.23	11.18 54.60	6.34 341	18.72 2557	5.87 1.79	1.28 1.28
CS 69	27.56 700	5.91 150	0.250 6.35	4.17 88.20	32.58 48.49	14.19 69.27	8.05 433	23.78 3247	5.87 1.79	1.28 1.28

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE


(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com



Piling Products, Inc.

Casteel CZ 67 CZ 72 CZ 84RD CZ 84 CZ 95RD CZ95 CZ101 CZ107 CZ113



Section	Width	Height	Thickness	Cross Sectional Area	Weight		Section Modulus	Moment of Inertia	Coating Area Both Sides	Coating Area
					Pile	Wall				
	b in (mm)	s in (mm)	t in (mm)	in ² /ft (cm ² /m)	lb/ft (kg/m)	lb/ft ² (kg/m ²)	in ³ /ft (cm ³ /m)	in ⁴ /ft (cm ⁴ /m)	ft ² /ft (m ² /m)	ft ² /ft ² (m ² /m ²)
CZ 67	21.65 550	7.87 200	0.217 5.50	4.03 85.35	24.76 36.85	13.72 67.00	10.70 575	42.11 5750	4.79 1.46	1.33 1.33
CZ 72	21.65 550	7.87 200	0.236 6.00	4.36 92.30	26.74 39.80	14.83 72.40	11.68 628	45.99 6280	4.79 1.46	1.33 1.33
CZ84RD	21.65 550	7.87 200	0.263 6.68	4.81 101.86	29.58 44.02	16.39 80.04	12.98 698	51.10 6978	4.79 1.46	1.33 1.33
CZ 84	21.65 550	7.87 200	0.276 7.00	5.05 106.90	31.04 46.20	17.20 84.00	13.62 732	53.63 7323	4.79 1.46	1.33 1.33
CZ95RD	21.65 550	7.87 200	0.307 7.80	5.58 118.20	34.28 51.01	19.00 92.77	15.16 815	59.73 8156	4.79 1.46	1.33 1.33
CZ 101	21.65 550	7.87 200	0.335 8.50	6.08 128.75	37.37 55.61	20.69 101.00	16.50 887	65.00 8876	4.79 1.46	1.33 1.33
CZ 107	21.65 550	7.87 200	0.354 9.00	6.44 136.40	39.58 58.90	21.92 107.00	17.48 940	68.84 9400	4.79 1.46	1.33 1.33
CZ 113	21.65 550	7.87 200	0.375 9.50	6.80 143.90	41.66 62.00	23.10 112.80	18.79 1010	72.70 9927	4.79 1.46	1.33 1.33

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043


Certified DBE/WBE

(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com

PPI Piling Products, Inc.

Casteel CZ 114rd CZ114 CZ128 CZ141 CZ148



Section	Width b in (mm)	Height s in (mm)	Thickness t in (mm)	Cross Sectional Area in ² /ft (cm ² /m)	Weight		Section Modulus in ³ /ft (cm ³ /m)	Moment of Inertia in ⁴ /ft (cm ⁴ /m)	Coating Area Both ft ² /ft (m ² /m)	Coating Area ft ² /ft ² (m ² /m ²)
					Pile lb/ft (kg/m)	Wall lb/ft ² (kg/m ²)				
CZ 114RD	24.02 610	13.39 340	0.315 8.00	6.43 136.20	43.81 65.19	21.89 106.90	29.76 1600	199.19 27200	5.91 1.80	1.48 1.48
CZ 114	24.02 610	13.39 340	0.335 8.50	6.87 145.40	46.84 69.70	23.35 114.00	31.62 1700	211.63 28900	5.91 1.80	1.48 1.48
CZ 128	24.02 610	13.39 340	0.375 9.50	7.68 162.50	52.28 77.80	26.22 128.00	35.34 1900	236.53 32300	5.91 1.80	1.48 1.48
CZ 141	24.02 610	13.39 340	0.413 10.50	8.48 179.50	57.92 86.20	28.88 141.00	39.06 2100	261.43 35700	5.91 1.80	1.48 1.48
CZ 148	24.02 610	13.39 340	0.433 11.00	8.88 188.00	60.68 90.30	30.31 148.00	40.92 2200	273.88 37400	5.91 1.80	1.48 1.48

945 Center Street * Green Cove Springs * Florida * 32043 (904) 529-9500




Piling Products, Inc.

945 Center Street * Green Cove Springs * FL * 32043

(904) 287-8000 Fax (904) 529-7757

www.pilingproduct.com ppisteel@bellsouth.net

Certified DBE/WBE



Section	Width w in (mm)	Height h in (mm)	Thickness t in (mm)	Cross Sectional Area in ² /ft (cm ² /m)	Weight		Section Modulus in ³ /ft (cm ³ /m)	Moment of Inertia in ⁴ /ft (cm ⁴ /m)	Coating Area Both Sides ft ² /ft (m ² /m)	Coating Area ft ² /ft ² (m ² /m ²)
					Pile lb/ft (kg/m)	Wall lb/ft ² (kg/m ²)				
CZ 14	28.50 723.9	10.00 254	0.250 6.4	4.18 88.48	33.81 50.31	14.23 69.50	14.36 772	71.82 9808	6.10 1.86	1.28 1.28
CZ 16	28.50 723.9	10.00 254	0.276 7.0	4.62 97.79	37.37 55.61	15.73 76.82	15.75 847	78.73 10751	6.10 1.86	1.28 1.28
CZ 17	29.95 760.73	10.13 257.302	0.315 8.0	5.16 109.22	43.86 65.27	17.57 85.79	16.86 906	88.77 12122	6.32 1.93	1.27 1.27
CZ 18	29.95 760.8	10.13 257.3	0.335 8.5	5.49 116.21	46.67 69.45	18.70 91.28	17.86 960	90.48 12356	6.32 1.93	1.27 1.27
CZ 19	29.95 760.8	10.13 257.3	0.354 9.0	5.80 122.77	49.30 73.37	19.75 96.43	18.74 1008	94.92 12962	6.32 1.93	1.27 1.27
CZ 21	29.95 760.8	10.13 257.3	0.375 9.5	6.14 129.96	52.19 77.67	20.91 102.09	19.85 1067	100.55 13731	6.32 1.93	1.27 1.27