




Piling Products, Inc.

"EZ" Series Sheet Piling



Section	Thickness T in (mm)	Height H in (mm)	Nominal Width W in (mm)	Section Area in ² (cm ²)	Weight lbs/lin ft (kg/lin m)	Weight lbs/ft. ² (kg/m ²)	Moment of Inertia in ⁴ /wall ft (cm ⁴ /wall m)	Radius of Gyration in (mm)	Section Modulus in ³ /wall ft (cm ³ /wall m)
EZ80	.315 (8.00)	10.75 (273)	25.0 (635)	12.1 (77.9)	41.1 (61.2)	19.8 (96.4)	110 (15000)	4.35 (110)	20.5 (1100)
EZ88	.344 (8.75)	10.78 (274)	25.0 (635)	13.2 (85.1)	44.9 (66.8)	21.6 (105)	121 (16500)	4.36 (111)	22.4 (1200)
EZ95	.375 (9.50)	10.81 (275)	25.0 (635)	14.4 (92.7)	48.9 (72.8)	23.5 (115)	131 (17900)	4.36 (111)	24.4 (1310)

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE


(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com



Piling Products, Inc.

"JZ" Series Sheet Piling



Section	Thickness T in (mm)	Height H in (mm)	Nominal Width W in (mm)	Section Area in ² (cm ²)	Weight lbs/lin ft (kg/lin m)	Weight lbs/ft ² (kg/m ²)	Moment of Inertia In ⁴ /wall ft (cm ⁴ /wall m)	Radius of Gyration in (mm)	Section Modulus in ³ /wall ft (cm ³ /wall m)
JZ112	.441 (11.2)	16.44 (418)	26.50 (673)	20.1 (129.7)	68.2 (101)	30.9 (151)	374 (51100)	6.41 (163)	45.3 (2430)
JZ120	.472 (12.0)	16.47 (418)	26.50 (673)	21.5 (138.7)	73.0 (109)	33.0 (161)	401 (54700)	6.41 (163)	48.5 (2610)
JZ127	.500 (12.7)	16.50 (419)	26.50 (673)	22.7 (146.5)	77.3 (115)	35.0 (171)	424 (57900)	6.42 (163)	51.4 (2760)

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE


(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com



Piling Products, Inc.

"L" Series Sheet Piling



Section	Thickness T in (mm)	Height H in (mm)	Nominal Width W in (mm)	Section Area in ² (cm ²)	Weight lbs/lin ft. (kg/lin m)	Weight lbs/ft ² (kg/m ²)	Moment of Inertia in ⁴ /wall ft (cm ⁴ /wall m)	Radius of Gyration in (mm)	Section Modulus in ³ /wall ft (cm ³ /wall m)
L27	.106 (2.7)	4.08 (104)	19.7 (500)	2.84 (18.3)	9.91 (14.7)	6.04 (29.4)	4.70 (643)	1.64 (41.9)	2.22 (119)
L34	.134 (3.4)	4.10 (104)	19.7 (500)	3.58 (23.1)	12.5 (18.6)	7.62 (37.2)	5.89 (806)	1.64 (41.9)	2.77 (149)
L41	.164 (4.1)	4.12 (105)	19.7 (500)	4.39 (28.3)	15.0 (22.4)	9.17 (44.7)	7.02 (961)	1.64 (41.9)	3.30 (178)
L45	.177 (4.5)	4.13 (105)	19.7 (500)	4.74 (30.6)	16.2 (24.1)	9.90 (48.1)	7.69 (1050)	1.64 (41.9)	3.62 (195)
L50	.197 (5.0)	4.15 (106)	19.7 (500)	5.29 (34.1)	18.9 (28.2)	11.5 (56.3)	9.82 (1340)	1.74 (44.2)	4.14 (223)
L60	.236 (6.0)	4.18 (106)	19.7 (500)	6.37 (41.1)	22.3 (33.1)	13.6 (66.1)	11.8 (1610)	1.74 (44.2)	4.97 (268)
L65	.256 (6.5)	4.20 (107)	19.7 (500)	6.90 (44.5)	24.1 (35.8)	14.7 (71.6)	12.8 (1750)	1.74 (44.2)	5.38 (290)

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE


(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com



Piling Products, Inc.

"XZ" Series Sheet Piling



Section	Thickness T in (mm)	Height H in (mm)	Nominal Width W in (mm)	Section Area in ² (cm ²)	Weight lbs/lin ft (kg/lin m)	Weight lbs/ft ² (kg/m ²)	Moment of Inertia in ⁴ /wall ft (cm ⁴ /wall m)	Radius of Gyration in (mm)	Section Modulus in ³ /wall ft (cm ³ /wall m)
XZ85	.335 (8.50)	14.06 (357)	25.0 (635)	13.6 (87.9)	46.4 (69.0)	22.3 (109)	212 (29000)	5.70 (145)	30.2 (1630)
XZ90	.354 (9.00)	14.09 (358)	25.0 (635)	14.4 (93.0)	48.9 (72.7)	23.5 (115)	225 (30800)	5.70 (145)	31.8 (1710)
XZ95	.375 (9.50)	14.12 (359)	25.0 (635)	15.2 (98.2)	51.7 (76.9)	24.8 (121)	237 (32400)	5.70 (145)	33.5 (1800)
XZ100	.394 (10.0)	14.15 (360)	25.0 (635)	15.9 (103.0)	54.2 (80.7)	26.0 (127)	250 (34200)	5.71 (145)	35.3 (1900)

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE


(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com



Piling Products, Inc.

"Z" Series Sheet Piling



Section	Thickness T in (mm)	Height H in (mm)	Nominal Width W in (mm)	Section Area in ² (cm ²)	Weight lbs/lin ft (kg/lin m)	Weight lbs/ft ² (kg/m ²)	Moment of Inertia In ⁴ /wall ft (cm ⁴ /wall m)	Radius of Gyration in (mm)	Section Modulus in ³ /wall ft (cm ³ /wall m)
Z55	.217 (5.50)	8.64 (219)	24.0 (610)	7.57 (48.8)	25.8 (38.4)	12.9 (63.0)	49.7 (6790)	3.61 (91.7)	11.4 (613)
Z60	.236 (6.00)	8.66 (220)	24.0 (610)	8.26 (53.3)	28.2 (42.0)	14.1 (68.8)	54.2 (7400)	3.62 (91.9)	12.4 (667)
Z65	.256 (6.50)	8.68 (220)	24.0 (610)	8.95 (57.7)	30.6 (45.5)	15.3 (74.7)	58.7 (8010)	3.62 (91.9)	13.4 (720)
Z70	.276 (7.00)	8.70 (221)	24.0 (610)	9.64 (62.2)	33.0 (49.1)	16.5 (80.6)	63.2 (8630)	3.62 (91.9)	14.4 (774)
Z75	.295 (7.50)	8.72 (221)	24.0 (610)	10.3 (66.5)	35.2 (52.4)	17.6 (85.9)	67.7 (9250)	3.63 (92.2)	15.6 (839)

Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE



(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com



Piling Products, Inc.

EZ Corner Sections



Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE



(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com



Piling Products, Inc.

XZ Corner Sections



Piling Products, Inc.

945 Center Street * Green Cove Springs * Florida * 32043

Certified DBE/WBE

(904) 287-8000 Fax (904) 529-7757

ppisteel@bellsouth.net www.pilingproducts.com